


All of Me Herbal Spritz

Sample ID: 2605NBL0874.2394
Matrix: Concentrates & Extracts
Type: Emulsion
Sample Size:
Date Collected:

Received: 05/20/2026
Completed: 06/02/2026
Expires: 06/02/2027
External Lot ID:
Batch#: 04292026APE

Client
Tennessee Hills Distillery
Lic. #
90 Tennessee Hills Way Bristol, TN 37620
(423) 444-5791 jessica@tnhillsdistillery.com



Summary

| Test | Date Tested | Result |
|-------------------|-------------|--------|
| Cannabinoids | 05/22/2026 | Pass |
| Residual Solvents | 05/27/2026 | Pass |
| Microbials | 05/20/2026 | Pass |
| Mycotoxins | 06/01/2026 | Pass |
| Pesticides | 06/02/2026 | Pass |
| Heavy Metals | 05/27/2026 | Pass |

Cannabinoids

Pass

| | | | |
|-----------------------------------|------------------------------------|------------------------|--|
| 9.478 mg/unit Total THC | 0.002% Compliance Result | ND Total CBD | 9.478 mg/unit Total Cannabinoids |
|-----------------------------------|------------------------------------|------------------------|--|

| Analyte | LOD | LOQ | Result | Result | MU |
|------------------|---------|---------|--------------|----------------|--------|
| | mg/unit | mg/unit | mg/unit | mg/mL | mg/mL |
| (6aR,9R)-d10-THC | 4.4555 | 6.683 | ND | ND | ±0 |
| 9R-HHC | 4.4555 | 6.683 | ND | ND | ±0 |
| (6aR,9S)-d10-THC | 4.4555 | 6.683 | ND | ND | ±0 |
| 9S-HHC | 4.4555 | 6.683 | ND | ND | ±0 |
| CBC | 4.4555 | 6.683 | ND | ND | ±0 |
| CBCa | 4.4555 | 6.683 | ND | ND | ±0 |
| CBD | 4.4555 | 6.683 | ND | ND | ±0 |
| CBDa | 4.4555 | 6.683 | ND | ND | ±0 |
| CBDV | 4.4555 | 6.683 | ND | ND | ±0 |
| CBDVa | 4.4555 | 6.683 | ND | ND | ±0 |
| CBG | 4.4555 | 6.683 | ND | ND | ±0 |
| CBGa | 4.4555 | 6.683 | ND | ND | ±0 |
| CBN | 4.4555 | 6.683 | ND | ND | ±0 |
| CBNa | 4.4555 | 6.683 | ND | ND | ±0 |
| Δ8-THC | 4.4555 | 6.683 | ND | ND | ±0 |
| Δ9-THC | 4.4555 | 6.683 | 9.478 | 0.02677 | ±0.003 |
| THCa | 4.4555 | 6.683 | ND | ND | ±0 |
| THCp | 4.4555 | 6.683 | ND | ND | ±0 |
| THCV | 4.4555 | 6.683 | ND | ND | ±0 |
| THCVa | 4.4555 | 6.683 | ND | ND | ±0 |
| Total THC | | | 9.478 | 0.02677 | |
| Total CBD | | | ND | ND | |
| Total | | | 9.478 | 0.02677 | |

Date Tested: 05/22/2026

Density: 1 mL = 1.022 g, Unit Mass: 361.788 g, 1 Unit = 12 fl oz
Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is included in the reported result.



Ashley Phillips
Laboratory Director
06/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





All of Me Herbal Spritz

Sample ID: 2605NBL0874.2394
Matrix: Concentrates & Extracts
Type: Emulsion
Sample Size:
Date Collected:

Received: 05/20/2026
Completed: 06/02/2026
Expires: 06/02/2027
External Lot ID:
Batch#: 04292026APE

Client
Tennessee Hills Distillery
Lic. #
90 Tennessee Hills Way Bristol, TN 37620
(423) 444-5791 jessica@tnhillsdistillery.com

Pesticides

Pass

| Analyte | LOO | LOD | Limit | Result | MU | Status | Analyte | LOO | LOD | Limit | Result | MU | Status |
|---------------------|-------|-------|-------|--------|-----|--------|--------------------|-------|-------|-------|--------|-----|--------|
| | PPM | PPM | PPM | PPM | PPM | | | PPM | PPM | PPM | PPM | PPM | |
| Abamectin | 0.097 | 0.028 | 0.500 | ND | ±0 | Pass | Hexythiazox | 0.094 | 0.028 | 1.000 | ND | ±0 | Pass |
| Acephate | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass | Imazalil | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Acequinocyl | 0.094 | 0.028 | 2.000 | ND | ±0 | Pass | Imidacloprid | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass |
| Acetamiprid | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Kresoxim Methyl | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass |
| Aldicarb | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass | Malathion | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Azoxystrobin | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Metalaxyl | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Bifenazate | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Methiocarb | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Bifenthrin | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Methomyl | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass |
| Boscalid | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Myclobutanil | 0.094 | 0.028 | 0.028 | ND | ±0 | Pass |
| Carbaryl | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass | Naled | 0.234 | 0.071 | 0.500 | ND | ±0 | Pass |
| Carbofuran | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Oxamyl | 0.094 | 0.028 | 1.000 | ND | ±0 | Pass |
| Chlorantraniliprole | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Paclbutrazol | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass |
| Chlorfenapyr | 0.075 | 0.022 | 1.000 | ND | ±0 | Pass | Methyl Parathion | 0.075 | 0.022 | 0.200 | ND | ±0 | Pass |
| Chlormequat | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Permethrins | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Chlorpyrifos | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Phosmet | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Clofentezine | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Piperonyl Butoxide | 0.094 | 0.028 | 2.000 | ND | ±0 | Pass |
| Cyfluthrin | 0.075 | 0.022 | 1.000 | ND | ±0 | Pass | Prallethrin | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Cypermethrin | 0.075 | 0.022 | 1.000 | ND | ±0 | Pass | Propiconazole | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass |
| Daminozide | 0.936 | 0.281 | 1.000 | ND | ±0 | Pass | Propoxur | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Diazinon | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Pyrethrins | 0.468 | 0.140 | 1.000 | ND | ±0 | Pass |
| Dichlorvos | 0.047 | 0.015 | 0.100 | ND | ±0 | Pass | Pyridaben | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Dimethoate | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Spinosad | 0.096 | 0.028 | 0.200 | ND | ±0 | Pass |
| Ethoprophos | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Spiromesifen | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Etofenprox | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass | Spirotetramat | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Etoxazole | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass | Spiroxamine | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass |
| Fenoxycarb | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass | Tebuconazole | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass |
| Fenpyroximate | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass | Thiacloprid | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Fipronil | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass | Thiamethoxam | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Fonicamid | 0.094 | 0.028 | 1.000 | ND | ±0 | Pass | Trifloxystrobin | 0.094 | 0.028 | 0.200 | ND | ±0 | Pass |
| Fludioxonil | 0.094 | 0.028 | 0.400 | ND | ±0 | Pass | | | | | | | |

Date Tested: 06/02/2026
Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. Testing Method: GC/MS/MS, CON-P-12000; Validation Date: 05/2025. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley N Phillips

Ashley Phillips
Laboratory Director
06/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





All of Me Herbal Spritz

Sample ID: 2605NBL0874.2394

Matrix: Concentrates & Extracts

Type: Emulsion

Sample Size:

Date Collected:

Received: 05/20/2026

Completed: 06/02/2026

Expires: 06/02/2027

External Lot ID:

Batch#: 04292026APE

Client

Tennessee Hills Distillery

Lic. #

90 Tennessee Hills Way Bristol, TN 37620

(423) 444-5791 jessica@tnhillsdistillery.com

Microbials

Pass

| Analyte | LOD | Result | Status |
|--|-------|--------|--------|
| | CFU/g | | |
| Shiga Toxin-producing E. Coli | 1.000 | ND | Pass |
| Salmonella | 1.000 | ND | Pass |
| Aspergillus spp. (A. flavus, A. fumigatus, A. terreus, A. niger) | 1.000 | ND | Pass |

Testing Method: qPCR, CON-P-6000; Validation Date: 01/2021. The decision rule is employed; the uncertainty measurement is not included in the reported result.

| Analyte | LOD | Result | Status |
|------------------|-------|--------|--------|
| | CFU/g | CFU/g | |
| Aerobic Bacteria | 10 | ND | Pass |
| Yeast & Mold | 10 | ND | Pass |

Testing Method: Petrifilms, CON-P-9000; Validation Date: 12/2021.

Date Tested: 05/20/2026

CFU = Colony Forming Units, Cq = Quantification Cycle, ND = Not Detected, LOD = Limit of Detection, ND = Not Detected. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Mycotoxins

Pass

| Analyte | LOD | LOQ | Limit | Result | MU | Status |
|------------------|-----|-----|-------|--------|-----|--------|
| | PPB | PPB | PPB | PPB | PPM | |
| B1 | 1 | 5 | | ND | ±0 | Tested |
| B2 | 1 | 5 | | ND | ±0 | Tested |
| G1 | 1 | 5 | | ND | ±0 | Tested |
| G2 | 1 | 5 | | ND | ±0 | Tested |
| Total Aflatoxins | 1 | 5 | 20 | ND | ±0 | Pass |
| Ochratoxin A | 6 | 19 | 20 | ND | ±0 | Pass |

Date Tested: 06/01/2026

Testing Method: LC/MS/MS, CON-P-5000; Validation Date: 04/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Result | MU | Status |
|---------|-------|-------|-------|--------|-----|--------|
| | PPM | PPM | PPM | PPM | PPM | |
| Arsenic | 0.046 | 0.092 | 0.200 | ND | ±0 | Pass |
| Cadmium | 0.046 | 0.092 | 0.200 | ND | ±0 | Pass |
| Lead | 0.046 | 0.092 | 0.500 | ND | ±0 | Pass |
| Mercury | 0.046 | 0.092 | 0.100 | ND | ±0 | Pass |

Date Tested: 05/27/2026

Testing Method: ICP/MS, CON-P-7000; Validation Date: 09/2020. The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley Phillips

Ashley Phillips
Laboratory Director
06/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





All of Me Herbal Spritz

Sample ID: 2605NBL0874.2394
Matrix: Concentrates & Extracts
Type: Emulsion
Sample Size:
Date Collected:

Received: 05/20/2026
Completed: 06/02/2026
Expires: 06/02/2027
External Lot ID:
Batch#: 04292026APE

Client
Tennessee Hills Distillery
Lic. #
90 Tennessee Hills Way Bristol, TN 37620
(423) 444-5791 jessica@tnhillsdistillery.com

Residual Solvents

Pass

| Analyte | LOD | LOQ | Limit | Result | MU | Status |
|------------------------------------|---------|---------|----------|----------|---------|--------|
| | PPM | PPM | PPM | PPM | PPM | |
| Acetone | 69.444 | 231.481 | 1000.000 | ND | ±0 | Pass |
| Benzene | 0.278 | 0.926 | 2.000 | ND | ±0 | Pass |
| n-Butane | 63.889 | 212.963 | | ND | ±0 | Tested |
| Isobutane | 63.889 | 212.963 | | ND | ±0 | Tested |
| Butanes | | | 1000.000 | ND | ±0 | Pass |
| Ethanol | 69.444 | 231.481 | 5000.000 | 1243.001 | ±10.938 | Pass |
| Ethyl Acetate | 69.444 | 231.481 | 1000.000 | ND | ±0 | Pass |
| Heptane | 69.444 | 231.481 | 1000.000 | ND | ±0 | Pass |
| n-Hexane | 1.389 | 4.630 | | ND | ±0 | Tested |
| 2,2-Dimethylbutane | 1.389 | 4.630 | | ND | ±0 | Tested |
| 3-Methylpentane | 1.389 | 4.630 | | ND | ±0 | Tested |
| 2-Methylpentane/2,3-Dimethylbutane | 2.778 | 9.259 | | ND | ±0 | Tested |
| Hexanes | | | 60.000 | ND | ±0 | Pass |
| Methanol | 27.778 | 92.593 | 600.000 | ND | ±0 | Pass |
| Isopentane | 63.889 | 212.963 | | ND | ±0 | Tested |
| n-Pentane | 27.778 | 92.593 | | ND | ±0 | Tested |
| Neopentane | 63.889 | 212.963 | | ND | ±0 | Tested |
| Pentanes | | | 1000.000 | ND | ±0 | Pass |
| 2-Propanol | 69.444 | 231.481 | 1000.000 | ND | ±0 | Pass |
| Propane | 277.778 | 925.926 | 1000.000 | ND | ±0 | Pass |
| Toluene | 0.139 | 0.463 | 180.000 | ND | ±0 | Pass |
| Ethylbenzene | 0.139 | 0.463 | | ND | ±0 | Tested |
| m/p-Xylene | 0.139 | 0.463 | | ND | ±0 | Tested |
| o-Xylene | 0.139 | 0.463 | | ND | ±0 | Tested |
| Xylenes | | | 430.000 | ND | ±0 | Pass |

Date Tested: 05/27/2026

Testing Method: HS-GC/MS, CON-P-8000; Validation Date: 09/2020, Butanes (measured as the cumulative sum of n-Butane and iso-Butane), Hexanes (measured as the cumulative sum of n-Hexane, 2,2-Dimethylbutane, 3-Methylpentane, 2-Methylpentane/2,3-Dimethylbutane), Pentanes (measured as the cumulative sum of iso-Pentane, n-Pentane, and neo-Pentane), Xylenes (measured as the cumulative sum of m/p-Xylene, o-Xylenes, and ethylbenzene). The decision rule is employed; the uncertainty measurement is not included in the reported result.

Ashley N Phillips

Ashley Phillips
Laboratory Director
06/02/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

